

according to Regulation (EC) No 1907/2006

	MPA 5010 / MPA	\ 9010	
Revision date: 22.08.2019	Product code: 119	12-0021	Page 1 of 9
SECTION 1: Identification of the	substance/mixture and of the c	ompany/undertaking	
1.1. Product identifier MPA 5010 / MPA 9010			
1.2. Relevant identified uses of the	substance or mixture and uses adv	<u>vised against</u>	
Use of the substance/mixture Polishing agent			
Uses advised against No data available.			
1.3. Details of the supplier of the sa	<u>ifety data sheet</u>		
Company name:	Festool GmbH		
Street:	Wertstraße 20		
Place:	D-73240 Wendlingen		
Telephone:	+49(0)7024 804 0	Telefax: +49 (0)7024 804 600	
Internet:	www.festool.com		
Responsible Department:	Responsible for the safety data	sheet: sds@gbk-ingelheim.de	
1.4. Emergency telephone	In England and Wales: NHS 111	In Scotland: NHS 24 - dial 111	
number:	Emergency telephone :+49 (0) 6	132 / 84463 (GBK GmbH, Ingelheim)	
SECTION 2: Hazards identificati	on		

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

Safety data sheet available on request.

2.3. Other hazards

EUH210

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of the following substances with non-hazardous admixtures.



according to Regulation (EC) No 1907/2006

MPA 5010 / MPA 9010

Revision date: 22.08.2019

Product code: 11912-0021

Page 2 of 9

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification		•		
8042-47-5	White mineral oil (petroleum)				
	232-455-8		01-2119487078-27		
	Asp. Tox. 1; H304				
64742-48-9	Naphtha (petroleum), hydrotreated	heavy; Low boiling point hydrogen tr	eated naphtha	10 - 20 %	
	918-481-9	649-327-00-6	01-2119457273-39		
	Asp. Tox. 1; H304				

Full text of H and EUH statements: see section 16.

Further Information

According to note P to the regulation (EC) no. 1272/2008, "Solvent naphta (petroleum)" is not to be classified as "carcinogenic" or "mutagen" ingredient because a benzene content (EINECS No. 200-753-7) is below 0.1 % by weight.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove and wash contaminated clothing before re-use.

After inhalation

Move to fresh air in case of accidental inhalation of vapours. In the event of persistent symptoms receive medical treatment.

After contact with skin

Wash off thoroughly with water. If skin irritation or rash occurs: Get medical advice/ attention.

After contact with eyes

Remove contact lens.

Rinse thoroughly with plenty of water, also under the eyelids. In the event of persistent symptoms receive medical treatment.

After ingestion

Give plenty of water to drink in small sips. Do not induce vomiting. Seek medical treatment immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms of poisoning may not occur for many hours.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO2), dry chemical, water-spray.

Unsuitable extinguishing media

Full water jet.

Revision No: 1,1

Print date: 26.08.2019





according to Regulation (EC) No 1907/2006

MPA 5010 / MPA 9010

Revision date: 22.08.2019

Product code: 11912-0021

Page 3 of 9

5.2. Special hazards arising from the substance or mixture

Fire may produce: toxic gases/vapours, carbon dioxide (CO2), Carbon monoxide (CO), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

In case of fire, wear suitable respiratory equipment with positive air supply.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with eyes and skin. High risk of slipping due to leakage/spillage of product.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Stop leak if safe to do so. Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, sawdust, general-purpose binder). Take up mechanically and collect in suitable container for disposal. Waste disposal according to local regulations.

6.4. Reference to other sections

Information for safe handling look up section 7. Information for personal protective equipment look up chapter 8. Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Avoid contact with the skin and the eyes. When using do not eat, drink or smoke. Storing of food in workroom forbidden. Follow the directions.

Advice on protection against fire and explosion

No information available.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container at cool and aired place.

Hints on joint storage

No information available.

Further information on storage conditions

Store at room temperature.

7.3. Specific end use(s)

Polishing agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Revision No: 1,1

Print date: 26.08.2019





according to Regulation (EC) No 1907/2006

MPA 5010 / MPA 9010

Revision date: 22.08.2019

Product code: 11912-0021

Page 4 of 9

Additional advice on limit values

No data available

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace.

Eye/face protection

In case of eye contact wear safety goggles or face protection

Hand protection

Protective gloves (EN 374) Solvent-resistant gloves (butylrubber), 0,5 mm. Breakthrough time: < 120min. Skin protection cream. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Wear suitable protective clothing. Safety Shoes. Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

No personal respiratory protective equipment normally required. Use suitable breathing apparatus if there is inadequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	paste, Liquid Various, depending on coloration characteristic
pH-Value:	7 - 9
Changes in the physical state	
Melting point:	Not determined.
Initial boiling point and boiling range:	Not determined.
Flash point:	> 100 °C
Sustaining combustion:	Not sustaining combustion
Flammability Solid:	Not determined.
Explosive properties The product is not explosive.	
Lower explosion limits:	Not determined.
Ignition temperature:	Not determined.
Auto-ignition temperature	
Solid:	Not determined.
Decomposition temperature:	Not determined.

Revision No: 1,1

Print date: 26.08.2019





according to Regulation (EC) No 1907/2006

	MPA 5010 / MPA 9010	
Revision date: 22.08.2019	Product code: 11912-0021	Page 5 of 9
Oxidizing properties Not fire-promoting.		
Vapour pressure:	Not determined.	
Density (at 20 °C): Bulk density: Water solubility: (at 20 °C)	1,05 g/cm³ Not applicable. Partially soluble.	
Solubility in other solvents Not determined.		
Partition coefficient:	Not determined.	
Viscosity / dynamic:	3000-10000 mPa∙s	
Viscosity / kinematic: (at 40 °C)	> 20,5 mm²/s	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
Solvent content:	Not determined.	
9.2. Other information		
No data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

The product has not been tested.

10.2. Chemical stability

No decomposition if stored and applied as directed.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Not known.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

No decomposition if used as directed.

Fire may produce: toxic gases/vapours, carbon dioxide (CO2), Carbon monoxide (CO), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

The product has not been tested.

Acute toxicity

Based on available data, the classification criteria are not met.



Revision date: 22.08.2019

Safety Data Sheet

according to Regulation (EC) No 1907/2006

MPA 5010 / MPA 9010

Product code: 11912-0021

Page 6 of 9

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
8042-47-5	White mineral oil (petroleum)						
	oral	LD50 mg/kg	> 5000	Rat			
	dermal	LD50 mg/kg	> 2000	Rabbit			
	inhalation (4 h) vapour	LC50	> 5 mg/l	Rat			
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha						
	oral	LD50 mg/kg	>5000				
	dermal	LD50 mg/kg	>5000				
	inhalation (4 h) vapour	LC50	>20 mg/l	Rat			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.





according to Regulation (EC) No 1907/2006

MPA 5010 / MPA 9010

Revision date: 22.08.2019

Product code: 11912-0021

Page 7 of 9

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
8042-47-5	White mineral oil (petrole	White mineral oil (petroleum)						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriela subcapitata			
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna (water flea)			
	Fish toxicity	NOEC mg/l	> 1000	28 d	Oncorhynchus mykiss			
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna			
64742-48-9	Naphtha (petroleum), hyd	rotreated h	eavy; Low bo	iling poin	t hydrogen treated naphth	ia		
	Acute fish toxicity	LC50 mg/l	>100	96 h				

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha				
		70-80%	28		

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
8042-47-5	White mineral oil (petroleum)	> 6
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha	5,5-7,2

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

Hazardous water pollutant.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Where possible recycling is preferred to disposal. Disposal in accordance with local regulations.

The waste code number must be agreed with the disposer / manufacturer / competent authority.

Contaminated packaging

Empty receptacle completely.







according to Regulation (EC) No 1907/2006

MPA 5010 / MPA 9010

Revision date: 22.08.2019

Product code: 11912-0021

Page 8 of 9

Uncontaminated packaging may be reused.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO-TI/IATA-DGR); Inland waterways transport (ADN)

14.1. UN number:

No hazardous material as defined by the transport regulations.

14.2. UN proper shipping name:

No hazardous material as defined by the transport regulations.

14.3. Transport hazard class(es):

No hazardous material as defined by the transport regulations.

14.4. Packing group:

No hazardous material as defined by the transport regulations.

14.5. Environmental hazards

No hazardous material as defined by the transport regulations.

14.6. Special precautions for user

No hazardous material as defined by the transport regulations.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No hazardous material as defined by the transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha

2010/75/EU (VOC):

12 g/l

National regulatory information

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Changes in chapter: 1

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk





according to Regulation (EC) No 1907/2006

MPA 5010 / MPA 9010

Revision date: 22.08.2019

Product code: 11912-0021

Page 9 of 9

REACH = Registration CAS = Chemical Abstra EN = European norm ISO = International Org DIN = Deutsche Indust PBT = Persistent Bioac	ganization for Standardization trie Norm
LD = Lethal dose	
LC = Lethal concentrat	
EC = Effect concentrat	ion ation concentration or median inhibitory concentration
	ements (number and full text)
H304	May be fatal if swallowed and enters airways.
EUH210	Safety data sheet available on request.
Further Information	
	s well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this tion on use and on product), but to liberation of major amounts in case of accidents and
The information descri our knowledge.	bes exclusively the safety requirements for the product(s) and is based on the present level of
The delivery specificat	ions are contained in the corresponding product sheet.
This data does not cor regulations.	nstitute a guarantee for the characteristics of the product(s) as defined by the legal warranty
(The data for the ha	zardous ingredients were taken respectively from the last version of the sub-contractor's safety

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)