

MPA 11010

Revision date: 22.08.2019

Product code: 11912-0024

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MPA 11010

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Polishing agent

Uses advised against

No data available.

1.3. Details of the supplier of the safety data sheet

Company name: Festool GmbH
 Street: Wertstraße 20
 Place: D-73240 Wendlingen
 Telephone: +49(0)7024 804 0
 Internet: www.festool.com
 Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de
 Telefax: +49 (0)7024 804 600

1.4. Emergency telephone number:

In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111
 Emergency telephone :+49 (0) 6132 / 84463 (GBK GmbH, Ingelheim)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of the following substances with non-hazardous admixtures.

Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	GHS Classification	
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha	10-20 %
	918-481-9	649-327-00-6
	01-2119457273-39	
	Asp. Tox. 1; H304	

Full text of H and EUH statements: see section 16.

Further Information

According to note P to the regulation (EC) no. 1272/2008, "Solvent naphtha (petroleum)" is not to be classified as



MPA 11010

Revision date: 22.08.2019

Product code: 11912-0024

Page 2 of 8

"carcinogenic" or "mutagen" ingredient because a benzene content (EINECS No. 200-753-7) is below 0.1 % by weight.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove and wash contaminated clothing before re-use.

After inhalation

Move to fresh air in case of accidental inhalation of vapours.

In the event of persistent symptoms receive medical treatment.

After contact with skin

Wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/ attention.

After contact with eyes

Remove contact lens.

Rinse thoroughly with plenty of water, also under the eyelids.

In the event of persistent symptoms receive medical treatment.

After ingestion

Give plenty of water to drink in small sips.

Do not induce vomiting.

Seek medical treatment immediately.

Aspiration hazard.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO₂), dry chemical, water-spray.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce: toxic gases/vapours, fumes, Hydrocarbons, carbon dioxide (CO₂), Carbon monoxide (CO).

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

In case of fire, wear suitable respiratory equipment with positive air supply. Wear full protective suit.

Apply cooling water to the side of containers that are exposed to flames.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Avoid contact with eyes and skin.

High risk of slipping due to leakage/spillage of product.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).



MPA 11010

Revision date: 22.08.2019

Product code: 11912-0024

Page 3 of 8

Stop leak if safe to do so.

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, sawdust, general-purpose binder).

Take up mechanically and collect in suitable container for disposal.

Waste disposal according to local regulations.

6.4. Reference to other sections

Information for safe handling look up section 7.

Information for personal protective equipment look up chapter 8.

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas.

Avoid contact with the skin and the eyes.

When using do not eat, drink or smoke.

Storing of food in workroom forbidden.

Follow the directions.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Take measures against electrostatic charging.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in closed original container.

Hints on joint storage

No information available.

Further information on storage conditions

Store at room temperature.

Protect from moisture.

7.3. Specific end use(s)

Polishing agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

No data available

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.

Keep away from food, drink and animal feeding stuffs.

Contaminated work clothing should not be allowed out of the workplace.

Eye/face protection

Safety goggles with side protection (EN 166).



MPA 11010

Revision date: 22.08.2019

Product code: 11912-0024

Page 4 of 8

Hand protection

Protective gloves (EN 374)
 Solvent-resistant gloves (butylrubber), 0,5 mm. Breakthrough time: > 120 min.
 Skin protection cream.
 Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Wear suitable protective clothing.
 Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

Use suitable breathing apparatus if there is inadequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Viscous, Liquid
Colour:	Various, depending on coloration
Odour:	characteristic
pH-Value:	7 - 9

Changes in the physical state

Melting point:	Not determined.
Initial boiling point and boiling range:	Not determined.
Flash point:	123,5 °C
Sustaining combustion:	Not sustaining combustion

Flammability

Solid: Not applicable.

Explosive properties

The product is not explosive.

Lower explosion limits:	Not determined.
Ignition temperature:	Not determined.

Auto-ignition temperature

Solid:	Not determined.
Decomposition temperature:	Not determined.

Oxidizing properties

Not fire-promoting.

Vapour pressure:	Not determined.
------------------	-----------------

Density:	1,01 g/cm ³
Bulk density:	Not applicable.
Water solubility:	Slightly soluble.

Solubility in other solvents

Not determined.

Partition coefficient:	Not determined.
Viscosity / dynamic: (at 40 °C)	>20,5 mPa·s
Viscosity / kinematic:	Not determined.



MPA 11010

Revision date: 22.08.2019

Product code: 11912-0024

Page 5 of 8

Vapour density: Not determined.
 Evaporation rate: Not determined.
 Solvent content: Not determined.

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product has not been tested.

10.2. Chemical stability

No decomposition if stored and applied as directed.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Not known.

10.5. Incompatible materials

Oxidizing agents.

10.6. Hazardous decomposition products

No decomposition if used as directed.

Fire may produce: toxic gases/vapours, fumes, Hydrocarbons, carbon dioxide (CO₂), Carbon monoxide (CO).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

The product has not been tested.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha				
	oral	LD50 >5000 mg/kg			
	dermal	LD50 >5000 mg/kg			
	inhalation (4 h) vapour	LC50 >20 mg/l	Rat		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.



MPA 11010

Revision date: 22.08.2019

Product code: 11912-0024

Page 6 of 8

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha					
	Acute fish toxicity	LC50 mg/l	>100	96 h		

12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha			
		70-80%	28	

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha	5,5-7,2

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

Low hazard to waters.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains.

Where possible recycling is preferred to disposal.

Can be disposed of as a solid waste or burned in a suitable installation subject to local regulations.

The waste code number must be agreed with the disposer / manufacturer / competent authority.

Contaminated packaging

Disposal in accordance with local regulations.

Empty receptacle completely.

Uncontaminated packaging may be reused.

Packaging that cannot be cleaned should be disposed of like the product.



MPA 11010

Revision date: 22.08.2019

Product code: 11912-0024

Page 7 of 8

SECTION 14: Transport information

Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO-TI/IATA-DGR); Inland waterways transport (ADN)

14.1. UN number:

No hazardous material as defined by the transport regulations.

14.2. UN proper shipping name:

No hazardous material as defined by the transport regulations.

14.3. Transport hazard class(es):

No hazardous material as defined by the transport regulations.

14.4. Packing group:

No hazardous material as defined by the transport regulations.

14.5. Environmental hazards

No hazardous material as defined by the transport regulations.

14.6. Special precautions for user

No hazardous material as defined by the transport regulations.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No hazardous material as defined by the transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha
2010/75/EU (VOC): < 20 %

National regulatory information

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Changes in chapter: 1

Abbreviations and acronyms

- ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
- RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
- ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
- IMDG = International Maritime Code for Dangerous Goods
- IATA/ICAO = International Air Transport Association / International Civil Aviation Organization
- MARPOL = International Convention for the Prevention of Pollution from Ships
- IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
- CAS = Chemical Abstract Service
- EN = European norm
- ISO = International Organization for Standardization
- DIN = Deutsche Industrie Norm
- PBT = Persistent Bioaccumulative and Toxic
- vPvB = Very Persistent and very Bio-accumulative



MPA 11010

Revision date: 22.08.2019

Product code: 11912-0024

Page 8 of 8

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

EUH210 Safety data sheet available on request.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

